

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/798,476	03/10/2004	Joshua David Banko	4860.P3250	7410	
8791 75	590 12/06/2006	EXAMINER			
	OKÒLOFF TAYLO! IRE BOULEVARD	KAYRISH, N	KAYRISH, MATTHEW		
SEVENTH FLOOR			ART UNIT	PAPER NUMBER	
LOS ANGELE	S, CA 90025-1030		2627		

DATE MAILED: 12/06/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		A	pplication No.		Applicant(s)			
Office Action Summary		10	0/798,476		BANKO, JOSHUA DAVID			
		E	xaminer	7	Art Unit			
	•	М	atthew G. Kayrish		2627			
Period fo	The MAILING DATE of this communic or Reply	cation appear	s on the cover she	et with the c	orrespondence ac	ldress		
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FO CHEVER IS LONGER, FROM THE MA asions of time may be available under the provisions of SIX (6) MONTHS from the mailing date of this commu- period for reply is specified above, the maximum stat re to reply within the set or extended period for reply we eply received by the Office later than three months affied patent term adjustment. See 37 CFR 1.704(b).	AILING DATE of 37 CFR 1.136(a) unication. utory period will ap vill, by statute, caus	E OF THIS COMM In no event, however, mostly and will expire SIX (6) se the application to become	UNICATION hay a reply be timed to MONTHS from the ABANDONE	l. ely filed the mailing date of this c O (35 U.S.C. § 133).			
Status								
1)⊠	Responsive to communication(s) filed	d on 24 Octol	ber 2006.					
• —	·		tion is non-final.					
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
,	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims							
4)🖂	Claim(s) 1-36 is/are pending in the ap	oplication.						
	4a) Of the above claim(s) is/are	e withdrawn f	from consideration	ı.				
5)[	Claim(s) is/are allowed.							
6)⊠	6)⊠ Claim(s) <u>1-36</u> is/are rejected.							
· 7)	Claim(s) is/are objected to.							
8)□	Claim(s) are subject to restrict	ion and/or ele	ection requiremen	t.				
Applicati	on Papers							
9)[	The specification is objected to by the	Examiner.						
10)🛛	The drawing(s) filed on 30 July 2004 i	s/are: a)⊠ a	accepted or b) 🗌 o	bjected to b	y the Examiner.			
	Applicant may not request that any objec	tion to the drav	wing(s) be held in ab	eyance. See	e 37 CFR 1.85(a).			
	Replacement drawing sheet(s) including	the correction	is required if the dra	wing(s) is obj	ected to. See 37 C	FR 1.121(d).		
11)	The oath or declaration is objected to	by the Exam	iner. Note the atta	ched Office	Action or form P	ΓΟ-152.		
Priority ι	under 35 U.S.C. § 119							
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a)⊠ All b)□ Some * c)□ None of:								
	1. Certified copies of the priority of		· •					
	2. Certified copies of the priority documents have been received in Application No							
	3. Copies of the certified copies of	•		een receive	ed in this National	Stage		
	application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.								
A440-b	Ma)							
Attachmen 1) 🕅 Notic	t(s) e of References Cited (PTO-892)		4) 🗌 Inten	view Summary	(PTO-413)			
	e of Draftsperson's Patent Drawing Review (P	TO-948)	Pape	r No(s)/Mail Da	nte			
					atent Application			
Paper No(s)/Mail Date 6)								

Art Unit: 2627

### **DETAILED ACTION**

## Response to Arguments


Applicant's arguments filed 9/29/2006 have been fully considered but they are not persuasive.

Regarding the argument that, because the door is provided means that this is not a slot-loading device. The examiner maintains that the door is provided to prevent dust from coming into the drive as stated by Sugita et al in column 2, lines 22-25. Slot disc drives are well known to have cloth or doors to prevent dust from coming in. Kan-o further supports this in column 1, lines 25-29. Furthermore, regarding claim 3, item 11, which Sugita et al calls a recording medium passing opening, is long and skinny and is sized to fit CDs that are inserted in to the CD player. This long, skinny recording medium passing opening, labeled 11 by Sugita et al, is a slot, or by definition, a narrow opening. Therefore, the examiner maintains that this disc device can be referred to as a slot loader.

Regarding the argument that Sugita et al does not teach a disk guide coupled to the functional bezel. The examiner maintains that the beams do act as a disk guide because they provide a path to the interior of the disk drive. The beams 25 and 26 define the sides of the disk guide, thereby directing the disk along the correct path. Sugita et al refers to this path as an insertion path. Furthermore, Sugita fully explains that this is an insertion path in column 6, lines 16-22. Therefore, the examiner maintains that the insertion path can otherwise be called a disk guide. Furthermore, the


Art Unit: 2627

disk guide is coupled to the functional bezel via the connection means, which can be seen in figure 2 below:



Therefore, the examiner maintains that Sugita does teach a disk guide coupled to the functional bezel.

Regarding the argument that Kan-o does not teach a ramp feature, which points the disk down during injection and up during ejection. The examiner maintains that Kan-o does teach a ramp portion in front of the roller, and this ramp can be seen clearly in figure 13 below:



It can be clearly seen that from figure 13, the line extended from the ramp does indeed indicate the direction of the disc during injection and ejection. When the disk is in abutment with the ramp, it can clearly be seen that the disk will either be pointing down during insertion, and up during ejection. Furthermore, Kan-o states that the roller will direct the disk to the slot, which is encompassed by ramp feature of item 24, otherwise,

Art Unit: 2627

the disk will stuck within the disk drive. Therefore, the examiner maintains that Kan-o does teach a ramp feature to point the disk down during insertion and up during ejection.

In view of the preceding arguments, the rejection with regard to claims 1-11 stands. The amendments to claims 1, 3, 5 and 12-36 have been entered.

# Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) The invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 2, 4-6, 10, 25, 26, 29-32, 35 and 36 are rejected under 35 U.S.C. 102(b) as being anticipated by Sugita et al (US Patent Number 6931649).

Regarding claim 1, Sugita et al disclose:

A slot loading optical disk drive bezel assembly coupled to a slot loading optical disk drive including:

A functional bezel (figure 3, item 1) having a first opening (figure 3, item 19) to receive an optical disk and a first plurality of attachment features (figure 3, holes on item 17), the functional bezel coupled to the optical drive (figure 2, item 1 is part of CD changer [2]);

A disk guide (figure 3, items 25 and 26) rigidly coupled to the functional bezel (figure 3, item 25 and 26 are part of item 1); and

A cosmetic bezel (figure 3, item 5) having a second opening (figure 3, item 11) to receive the optical disk and second plurality of attachment features (figure 2, item 1 is attached to item 5 by second attachment features through holes on item 17), wherein the first opening and second opening are in alignment (column 6, lines 31-32).

Regarding claims 2 and 29, Sugita et al disclose:

The slot loading optical disk drive bezel assembly of claim 1, wherein the functional bezel provides structural rigidity for the optical drive (column 6, lines 40-43, metal is rigid).

Regarding claims 4 and 30, Sugita et al disclose:

The slot loading optical disk drive bezel assembly of claim 1, wherein the functional bezel includes a plurality of mounting points for mounting the functional bezel to the optical drive (figure 2, item 1 is mounted to the optical drive) and for mounting the functional bezel to an enclosure that houses the optical drive (column 6, lines 31-35, item 5 is part of the enclosure)

Regarding claim 5, Sugita et al disclose:

The slot loading optical disk drive bezel assembly of claim 1, wherein the functional bezel includes a plurality of mounting points for mounting the functional bezel to various configuration of various optical drives (figure 3, holes on 17 are in various locations).

Regarding claims 6 and 32, Sugita et al disclose:

The slot loading optical disk drive bezel assembly of claim 1, wherein the first plurality of attachment features of the functional bezel matches the second plurality of attachment features (figure 2, holes on 17 line up with second attachment features of 5).

Regarding claims 10, 35 and 36, Sugita et al disclose:

The slot loading optical disk drive bezel assembly of claim 1, wherein the second opening in the cosmetic bezel (figure 3, item 11) is larger than the first opening in the functional bezel (figure 4, item 19) to facilitate injection or ejection of the optical disk (11 is larger than 19 to facilitate injection) and the functional bezel facilitates slot loading of the optical disk into the optical drive (the optical disk drive is slot loading).

Regarding claim 25, Sugita et al disclose everything repeated from claim 1, further disclosing:

An optical drive coupled to the enclosure (figure 1, item 2);


The cosmetic bezel rigidly coupled to the functional bezel through a coupling of the first and the second attachment features (See figure 2), wherein the first opening and the second opening is in alignment through the coupling of the first and second attachment features (column 6, lines 31-35).

Regarding claim 26, Sugita et al disclose:

The computer system of claim 25, wherein the optical drive is rigidly mounted to the enclosure (figure 1, item 5 is part of the enclosure).

Regarding claim 31, Sugita et al disclose:

Art Unit: 2627



Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 3, 7-9, 11-24, 27, 28, 33 and 34 rejected under 35 U.S.C. 103(a) as being unpatentable over Sugita et al, in view of Kan-o (US Patent Number 6910217).

Regarding claims 3 and 27, Sugita et al fail to disclose:

A slot loading optical disk drive bezel assembly comprising a cosmetic screen attached to the cosmetic bezel.

#### Kan-o discloses:

A slot loading optical disk drive bezel assembly comprising a cosmetic screen attached to the cosmetic bezel (figure 3, item 4).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to include a cosmetic screen in the optical drive bezel of Sugita et al, as taught by Kan-o, because it will remove dust from a disk as it enters the optical drive.

Regarding claims 7, 20 and 33, Sugita et al fail to disclose:

Art Unit: 2627

A disk guide that facilitates proper attachment of the optical disk into the optical drive.

Kan-o discloses:

A disk guide that facilitates proper attachment of the optical disk into the optical drive (column 7, lines 41-44).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use rollers to guide the disk into Sugita et al's optical drive, as taught by Kan-o, because this will guide the disk into the optical drive and prevent it from brushing against any of the surrounding parts of the disk drive, thereby, preventing scratching and damage to the surface of the optical medium.

Regarding claims 8, 21 and 34, Sugita et al fail to disclose:

A disk guide that includes a ramp feature to point the optical disk down into the optical drive during injection and to point the optical disk up during ejection.

Kan-o discloses:

A disk guide that includes a ramp feature (figure 13, ramp is element 24 portion in front of roller) to point the optical disk down into the optical drive during injection and to point the optical disk up during ejection (column 7, lines 27-35, rollers [15] guide the disk in the right direction).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use a ramp feature on a disk guide inserted in Sugita et al's optical drive bezel, as taught by Kan-o, because this ramp feature will direct the disk

Art Unit: 2627

in the right direction so that it will not contact any of the hard corners in the optical disk drive, thereby preventing scratches to the surface of the optical medium.

Regarding claims 9, 13, 22 and 28, Sugita et al fail to disclose:

A cosmetic bezel, which includes a recess configured to receive a cosmetic screen.

Wherein the cosmetic screen is between the functional bezel and the cosmetic bezel.

#### Kan-o discloses:

A cosmetic bezel, which includes a recess configured to receive a cosmetic screen (figure 13, item 24 has a recess for item 4).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide a recess in Sugita et al's cosmetic bezel to receive the cosmetic screen, as taught by Kan-o, because, by providing this recess, the cosmetic screen has a definite location within the bezel, therefore, ensuring that cosmetic screen will be held in the proper place at all times. This will ensure that the screen is always performing the proper function, rather than becoming dislodged.

Furthermore, with regard to claim 13, providing Sugita et al's cosmetic bezel with cosmetic screen would place the cosmetic screen between the functional bezel and the cosmetic bezel. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made that providing Sugita et al's cosmetic bezel with a cosmetic screen, as taught by Kan-o, would have the screen placed between the functional bezel and the cosmetic bezel, thereby locking it in place.

Regarding claims 11 and 24, Sugita et al fail to disclose:

A cosmetic bezel, which includes a cosmetic screen, that performs at least one of minimizing contaminants into the optical disk drive and wiping the optical disk as the optical disk is being inserted into the optical drive.

#### Kan-o discloses:

A cosmetic bezel, which includes a cosmetic screen, that performs at least one of minimizing contaminants into the optical disk drive and wiping the optical disk as the optical disk is being inserted into the optical drive (column 5, lines 45 & 46).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide Sugita et al with a cosmetic screen that prevents dust, as taught by Kan-o, because this will ensure a clean surface of the optical medium, which will allow the disc to be read clearly and is thus an accurate signal is provided.

Regarding claim 12. Sugita et al disclose everything repeated from claim 1, however, Sugita et al fail do specifically disclose:

Wherein the slot remains open when a disk is in the optical drive.

#### Kan-o et al disclose:

Wherein the slot remains open when a disk is in the optical drive (figure 1, the slot always provides an open path).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide Sugita et al with an open slot when the disk is in

the disk drive, as taught by Kan-o, because this reduces the amount of moving parts and provides easier assembly.

Claims 14 and 15 are rejected under Sugita et al as per claim 1, in view of Kan-o as per claim 12.

Claim 16 is rejected under Sugita et al as per claim 2, in view of Kan-o as per claim 12.

Claims 17 and 18 are rejected under Sugita et al as per claim 4, in view of Kan-o as per claim 12.

Claim 19 is rejected under Sugita et al as per claim 6, in view of Kan-o as per claim 12.

Claim 23 is rejected under Sugita et al as per claim 10, in view of Kan-o as per claim 12.

#### Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Application/Control Number: 10/798,476 Page 12

Art Unit: 2627

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew G. Kayrish whose telephone number is 571-272-4220. The examiner can normally be reached on 8am - 5pm M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wayne Young can be reached on 571-272-7582. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Matthew G. Kayrish

11/15/2006

SUPERVISORY DATE